

Canon EOS 70D with EF-S 18-135mm f/3.5-5.6 IS STM Kit



Rating: 5.0

Price:

Variant price modifier:

Price with discount:

Salesprice with discount:

USD 549.00

Discount:



[Ask a question about this product](#)

Manufacturer: [Canon](#)

Description

- 20.2 Megapixel APS-C CMOS sensor
- DIGIC 5+ Image Processor
- Dual Pixel CMOS AF with Live View
- 3.0 inch (1040k) Vari-Angle Clear View II Touch Screen
- ISO 100-12800, Expandable to 25600
- 7.0 fps Continuous Shooting
- 19-Point All Cross-Type AF System
- Wi-Fi file transfer and remote control
- Full HD 1080p Movie Mode with Movie Servo AF

What's in the box

1. Canon EOS 70D Digital DSLR Body
2. Canon EF-S 18-135mm f/3.5-5.6 IS STM
3. Eyecup Eb
4. Body cap
5. Wide Strap

- 6. Battery Pack LP-E6
- 7. Battery Charger
- 8. USB Interface Cable
- 9. EOS Digital Solution Disc
- 10. Software Instruction Manual CD

System Cameras (1)	
General	
Camera	Digital SLR
Type:	
Image Sensor	
Sensor	CMOS
Type:	
Sensor	22.5mm x
Size:	15.0mm mm
Effective	20.20 MP
Megapixel	
s:	
Viewfinder	
Viewfinde	Pentaprism
r Type:	
Coverage:	98 %
Exposure & Shutter	
Control	
Min. ISO	100
Sensitivity	
:	
Max. ISO	12800
Sensitivity Expandable to	
:	25600
Min.	30 sec
Shutter	
Speed:	
Max.	1/8000 sec
Shutter	
Speed:	
Continuou	7.0 fps
s Burst	
Speed:	
Maximum	Max. Approx.
Shots /	7fps. (speed
Burst:	maintained for
	up to 65 images
	(JPEG) ¹³ (with
	UHS-I card), 16
	images
	(RAW) ²³
Video Recording	
File	MOV (Video:
Format:	H.264 Intra
	frame / inter
	frame, Sound:
	Linear PCM,
	recording level
	can be
	manually
	adjusted by
	user)
Video Res	1920 x 1080
olution:	(29.97, 25,
	23.976 fps)
	intra or inter
	frame 1280 x
	720 (59.94, 50
	fps) intra or
	inter frame 640
	x 480 (29.97,

	25 fp
HD	Yes
Recording	
Display	
LCD Size:	3.0 inch
LCD Reso	1040 k pixels
lution:	
Live View:	Yes
Storage	
Memory	SD, SDHC or
Card	SDXC
Type:	(UHS-I)card
Internal	-
Memory:	
Power Supply	
Battery	LP-E6
Model:	
Battery	BG-E14
Grip:	
Dimensions	
Size:	139.0 X 104.3 X
	78.5 mm
Weight:	755 g
Camera Features	
Image Sta	Yes
bilization	
Sensor	Yes
Cleaning:	
Tilt / Flip	Yes
Screen :	
Full Auto:	Yes
Face Dect	No
ection :	
HDMI Co	Yes
nnection:	
External	Remote Switch
Remote	RS-60E3,
Control:	Remote
	Controller RC-6