

Canon EOS 7D Mark II with EF-S 18-135mm f/3.5-5.6 IS STM Kit



Rating: 5.0

Price:

Variant price modifier:

Price with discount:

Salesprice with discount:

USD 799.00

Discount:



[Ask a question about this product](#)

Manufacturer: [Canon](#)

Description

- 20.2 MP APS-C CMOS sensor
- 3.0 inch (1040k) Clear View II LCD monitor
- 10 fps continuous shooting
- ISO 100-16000 (expandable to H1: 25600, H2: 51200)
- 65-point AF system with iTR AF
- Dual DIGIC 6 Image Processors
- Dual Pixel CMOS AF
- 60p Full HD movies
- Magnesium Alloy Body Construction
- Built-In GPS Receiver & Digital Compass

What's in the box

1. Canon EOS 7D Mark II Body



- 2. Canon EF-S 18-135mm f/3.5-5.6 IS STM
- 3. Eyecup Eg
- 4. Body cap
- 5. Wide Neck Strap
- 6. Battery Pack LP-E6N
- 7. Battery Charger
- 8. USB Interface Cable
- 9. EOS Digital Solution Disc
- 10. Software Instruction Manual CD

System Cameras (1)	
General	
Camera	Digital AF/AE
Type:	single-lens reflex camera with built-in flash
Image Sensor	
Sensor	CMOS
Type:	
Sensor	22.4 x 15.0 mm
Size:	mm
Effective	20.2
Megapixel	
s:	
Viewfinder	
Viewfinde	Pentaprism
r Type:	
Coverage:	100 %
Exposure & Shutter	
Control	
Min. ISO	100
Sensitivity	
:	
Max. ISO	16000
Sensitivity	
:	
Min.	Bulb sec
Shutter	
Speed:	
Max.	1/8000 sec
Shutter	
Speed:	
Continuou	10 fps
s Burst	
Speed:	
Maximum -	
Shots /	
Burst:	
Video Recording	
File	MOV
Format:	
Video Res	1920 x 1080
olution:	(59.94, 50 fps)
	inter-frame
HD	Yes
Recording	
Display	
LCD Size:	3.0 inch
LCD Reso	1040 k pixels
lution:	
Live View: Yes	
Storage	
Memory	CF, SD, SDHC,
Card	SDXC
Type:	
Internal	-
Memory:	

Power Supply	
Battery	LP-E6N
Model:	
Battery	BG-E16
Grip:	
Dimensions	
Size:	148.6 X 112.4 X 78.2 mm
Weight:	910 g
Camera Features	
Image Stabilization	
Sensor	Yes
Cleaning:	
Tilt / Flip	No
Screen :	
Full Auto:	Yes
Face Detection	
ection :	
HDMI Connection:	Yes
External Remote Control:	Remote control with N3 type contact, LC-5, RC-6,