Canon VIXIA HF G40 Full HD Camcorder















Rating: 4.0
Price:
Variant price modifier:

Price with discount:

Salesprice with discount:

USD 599.00

Discount:

In Stock!
Ready to Order

Ask a question about this product

Manufacturer: Canon

Description

Product Highlights

- 1920 x 1080p Recording Up to 60 fps
- Canon 20x HD Video Lens
- Wide DR Gamma (600%) HD Peaking
- Highlight Priority Mode
- Dual SDXC Memory Card Slots
- OLED 3.5" with 10,000:1 Contrast Ratio
- Intelligent Optical Image Stabilization
- Advanced Display Features & HDMI Output
- Slow/Fast Motion and Interval Recording
- Built-In Wi-Fi with FTP Transfer

Camera	
Sensor	3.09 Megapixel 1/2.84" CMOS
Color Filter	RGB
Pixel Gross	3,086,784
Effective Pixels	2136 - 1362 @ Video 16:9
Optics	
Focal Length	3.67 - 73.4 mm
35mm Equivalent Focal Length	26.8 - 576 @ Aspect Ratio: 16:9 Standard IS/IS Off 28.8 - 576 @ Aspect Ratio: 16:9 Dynamic IS
Maximum Aperture	f/ 1.8 - f/ 2.8
Zoom	Optical: 20x
Filter Size	58 mm
Recording	
System	NTSC
Recording Media	SD/SDHC/SDXC
Video Format	**High Definition** **AVCHD** 1920 x 1080p / 59.94 fps 1920 x 1080i 1920 x 1080p / 29.97 fps 1920 x 1080p / 23.98 fps **High Definition** **MP4** 1920 x 1080p / 59.94 fps 1920 x 1080p / 29.97 fps 1920 x 1080p / 23.98 fps 1280 x 720p / 29.97 fps 1280 x 720p / 23.98 fps 640 x 360p / 29.97 fps 640 x 360p / 23.98 fps
Still Image Resolution	JPEG: 2.91 Megapixel, 2136 x 1362
Channels	2.0-Channel Stereo
Audio Format	Dolby Digital 2ch Dolby Digital AC3
Display	
Display Type	OLED
Touchscreen	Yes
Screen Size	3.5"
Pixel Count	1,230,000
2nd Display	
Display Type	Viewfinder
Screen Size	.24"
Pixel Count	156,000
Features	
Lux	1.2 (1/30 sec with auto slow shutter on) .1 (Shutter speed 1/2 sec)
White Balance Modes	Auto Cloudy Daylight Fluorescent Fluorescent H Shade Tungsten
Built-in Mic	Yes

Wi-Fi	Yes
Accessory Shoe	1x Cold 1x Mini Advanced Shoe
Tripod Mount	1/4" - 20
Input/Output Connectors	
Inputs	1x LANC Terminal 2.5 mm 1x 1/8" (3.5 mm) Stereo Input (Jack) Mic
Outputs	1x HDMI C (Mini) 1x USB 2.0 1x 1/8" (3.5 mm) Stereo Mini
Microphone Input	Yes
Headphone Jack	Yes
General	
System Requirements	Not Specified By Manufacturer
Battery	Rechargeable Lithium-Ion Battery Pack Batteries
Charging Method	AC Adapter
Operating Temperature	23 - 113°F (-5 - 45°C) 60% Relative Humidity 32 - 104°F (0 - 40°C) 85% Relative Humidity
Dimensions (WxHxD)	4.3 x 3.3 x 7.2" / 10.9 x 8.4 x 18.3 cm *not including lens hood*
Weight	1.68 lb / 765 g *including grip belt*
Packaging Info	
Package Weight	4.2 lb
Box Dimensions (LxWxH)	11.7 x 9.3 x 7.6"