## DJI Phantom 3 Professional Quadcopter with 4K Camera and 3-Axis Gimbal



Rating: 5.0

Price:

Variant price modifier:

Price with discount:

Salesprice with discount:

USD 499.00

Discount:

In Stock!

Ask a question about this product

Manufacturer: Dji

## Description

## **Product Highlights**

- Gimbal Stabilized 4K Camera
- Camera Takes 12MP Still Photos
- 720p HD App-Based Monitoring
- Gimbal Control Dials on Transmitter
- GPS for Enhanced Stability and Failsafes
- Auto-Takeoff / Auto Return Home
- Vision Sensor for Indoor Flight
- Up to 23 Minutes Flying Time
- Intelligent LiPo Flight Battery
- Mobile Device Holder Included

Performance Maximum Speed

Hover Accuracy

Maximum Altitude Flight Time Flight Control System **GPS Mode** 

Vision Positioning

Transmitter Frequency Communication Distance Receiver Sensitivity **Transmitter Power** Working Current Connectivity

Lightbridge Support Mobile Device Holder Operating Temperature Camera

Sensor Lens

Photo Resolution ISO Range

Video Resolutions

Photo Modes

File Formats

Recording Media

Ascent: 16.4' fps / 5 m/s Descent: 9.8' / 3 m Vertical: ±3.9" / 10 cm Horizontal: ±3.3' / 1 m

Above Sea Level: 19,685' / 6000 m 23 minutes (depending on conditions)

GPS / GLONASS Frequency: 50 Hz

Velocity Range: Below 26.2 fps / 8 m/s (6.6' / 2 m above the ground)

Altitude Range: 11.8" to 118.1" / 30 cm to 300 cm Operating Range: 11.8" to 118.1" / 30 cm to 300 cm

Operating Environment: Surface with clear pattern and adequate

lighting (> 15 lux)

2.400 to 2.483 GHz

Up to 3.1 miles / 5 km (outdoors and unobstructed)

1%PER: 101 dBm ±2 dBm

EIRP: 20 dBm 1.2 A at 7.4 V

1 x USB type A female for mobile device interface

1 x Micro-USB female for firmware updates / assistant software 1 x

Charge port

Yes; compatible iOS or Android mobile device with USB required

Compatibility: Tablet or smartphone

32 to 104°F / 0 to 40°C

Make: Sony EXMOR

Size: 1/2.3"

Resolution: 12.76 MP (12.4 MP effective)

Aperture: f/2.8 FOV: 94°

Focal Length: 20 mm (35 mm equivalent)

Elements: 9 Focus: 0 to ?

Up to 12 MP (4000 x 3000) Video: 100 to 3200 Photo: 100 to 1600

DCI 4K (4096 x 2160): 24p, 25p UHD 4K (3840 x 2160): 24p, 25p, 30p

1080p (1920 x 1080): 24p, 25p, 30p, 48p, 50p, 60p **720p (1280 x 720):** 24p, 25p, 30p, 48p, 50p, 60p

Single Shot

Burst Shooting: 3/5/7 shots

Auto Exposure Bracketing (AEB): 3/5 Bracketed Frames at 0.7 EV Bias

Time-lapse

Video: MPEG-4 AVC/H.264 in MOV wrapper (up to 60 Mbps)

Photo: JPEG. DNG RAW

Type: microSD/SDXC card up to 64 GB

Format: FAT32 / exFAT

Operating Temperature

Gimbal

Number of Axes

Control Range

Motor Type

Recommended Takeoff Weight

Maximum Tension

Stator Size

Motor Velocity Constant

Working Temperature

Weight

Flight Battery

Chemistry

Capacity

Configuration

Voltage

Weight

Maximum Charging Power

Operating Temperature

Charger

Mobile App

Name

System Requirements

**Operating Temperature** Dimensions Weight Packaging Info Package Weight Box Dimensions (LxWxH)

General

Note: Class 10, UHS-1 or faster card required

32 to 104°F / 0 to 40°C

3-axis (pitch, roll, yaw)

-90° to +30°

Brushless

10.6 oz / 300 g per axis

1.8 lb / 800 g per axis

0.9 x 0.5" / 23 x 12 mm

KV: 960 rpm/V

23 to 104°F / -5 to 40°C

1.9 oz / 55 g

Lithium-polymer

4480 mAh 68 Wh

4S

15.2 VDC

12.9 oz / 365 g

100 W

32 to 104°F / 0 to 40°C

Voltage: 17.4 VDC

100 W

**DJI Pilot** 

OS: iOS 8.0 or later; Android 4.1.2 or later

## **Recommended Devices:**

Apple (iOS): iPhone 5s, iPhone 6, iPhone 6 Plus, iPad Air (Wi-Fi and cellular versions), iPad mini 2 (Wi-Fi and cellular versions), iPad Air 2 (Wi-Fi and cellular versions), iPad mini 3 (Wi-Fi and cellular versions) (Note: Optimized for iPhone 5s, iPhone 6, and iPhone 6 Plus)

Samsung (Android): Galaxy Tab SM-T705C, Galaxy S6, Galaxy Galaxy S5, Galaxy Note4, Note3

Other (Android): Google Nexus 9, Google Nexus 7 II, Ascend Mate7, Huawei P8 Max, Nubia Z7 mini, Sony Xperia Z3, MI 3, MI PAD, Smartisan T1

Note: Additional devices may be compatible but have not yet been tested

32 to 104°F / 0 to 40°C

Diagonal (Including Propellers): 23.2" / 590 mm Including Battery and Propellers: 2.8 lb / 1.3 kg

9.8 lb

15.4 x 14.3 x 8.3"