

## DJI Phantom 3 Professional Quadcopter with 4K Camera and 3-Axis Gimbal (Refurbished)



Rating: 5.0

**Price:**

Variant price modifier:

Price with discount:

Salesprice with discount:

USD 399.00

Discount:



[Ask a question about this product](#)

Manufacturer: [Dji](#)

Description

### Product Highlights

- Gimbal Stabilized 4K Camera
- Camera Takes 12MP Still Photos

- 720p HD App-Based Monitoring
- Gimbal Control Dials on Transmitter
- GPS for Enhanced Stability and Failsafes
- Auto-Takeoff / Auto Return Home
- Vision Sensor for Indoor Flight
- Up to 23 Minutes Flying Time
- Intelligent LiPo Flight Battery
- Mobile Device Holder Included

#### Performance

Maximum Speed	Ascent: 16.4' / 5 m/s Descent: 9.8' / 3 m
Hover Accuracy	Vertical: ±3.9" / 10 cm Horizontal: ±3.3' / 1 m
Maximum Altitude	Above Sea Level: 19,685' / 6000 m
Flight Time	23 minutes (depending on conditions)
Flight Control System	
GPS Mode	GPS / GLONASS
Vision Positioning	<b>Frequency:</b> 50 Hz <b>Velocity Range:</b> Below 26.2 fps / 8 m/s (6.6' / 2 m above the ground) <b>Altitude Range:</b> 11.8" to 118.1" / 30 cm to 300 cm <b>Operating Range:</b> 11.8" to 118.1" / 30 cm to 300 cm

**Operating Environment:** Surface with clear pattern and adequate lighting (> 15 lux)

#### Transmitter

Frequency	2.400 to 2.483 GHz
Communication Distance	6561.7' / 2000 m (outdoors and unobstructed)
Receiver Sensitivity	1%PER: 101 dBm ±2 dBm
Transmitter Power	EIRP: 20 dBm
Working Current	1.2 A at 7.4 V
Connectivity	1 x USB type A female for mobile device interface 1 x Micro-USB female for firmware updates / assistant software 1 x Charge port
Lightbridge Support	Yes; compatible iOS or Android mobile device with USB required
Mobile Device Holder	Compatibility: Tablet or smartphone
Operating Temperature	32 to 104°F / 0 to 40°C

#### Camera

Sensor	Make: Sony EXMOR Size: 1/2.3"
	Resolution: 12.76 MP (12.4 MP effective)
	Aperture: f/2.8
	FOV: 94°

#### Lens

	Focal Length: 20 mm (35 mm equivalent)
	Elements: 9
	Focus: 0 to ∞

#### Photo Resolution

ISO Range	Up to 12 MP (4000 x 3000)
-----------	---------------------------

	Video: 100 to 3200
--	--------------------

	Photo: 100 to 1600
--	--------------------

	<b>DCI 4K (4096 x 2160):</b> 24p, 25p
	<b>UHD 4K (3840 x 2160):</b> 24p, 25p, 30p
	<b>1080p (1920 x 1080):</b> 24p, 25p, 30p, 48p, 50p, 60p
	<b>720p (1280 x 720):</b> 24p, 25p, 30p, 48p, 50p, 60p

#### Photo Modes

Single Shot  
Burst Shooting: 3/5/7 shots  
Auto Exposure Bracketing (AEB): 3/5  
Bracketed Frames at 0.7 EV Bias  
Time-lapse

#### File Formats

Video: MPEG-4 AVC/H.264 in MOV wrapper (up to 60 Mbps)

	Photo: JPEG, DNG RAW
--	----------------------

	Type: microSD/SDXC card up to 64 GB
--	-------------------------------------

	Format: FAT32 / exFAT
--	-----------------------

#### Operating Temperature

**Note:** Class 10, UHS-1 or faster card required  
32 to 104°F / 0 to 40°C

#### Gimbal

Number of Axes	3-axis (pitch, roll, yaw)
Control Range	-90° to +30°

---

Motor	
Type	Brushless
Recommended Takeoff Weight	10.6 oz / 300 g per axis
Maximum Tension	1.8 lb / 800 g per axis
Stator Size	0.9 x 0.5" / 23 x 12 mm
Motor Velocity Constant	KV: 960 rpm/V
Working Temperature	23 to 104°F / -5 to 40°C
Weight	1.9 oz / 55 g
Flight Battery	
Chemistry	Lithium-polymer
Capacity	4480 mAh
	68 Wh
Configuration	4S
Voltage	15.2 VDC
Weight	12.9 oz / 365 g
Maximum Charging Power	100 W
Operating Temperature	32 to 104°F / 0 to 40°C
Charger	Voltage: 17.4 VDC
	100 W
Mobile App	
Name	DJI Pilot
System Requirements	<b>OS:</b> iOS 8.0 or later; Android 4.1.2 or later

**Recommended Devices:**

**iOS:** iPhone 5s, iPhone 6, iPhone 6 Plus, iPad Air (Wi-Fi and cellular versions), iPad mini 2 (Wi-Fi and cellular versions), iPad Air 2 (Wi-Fi and cellular versions), iPad mini 3 (Wi-Fi and cellular versions)  
**(Note:** Optimized for iPhone 5s, iPhone 6, and iPhone 6 Plus)

**Android:** Samsung S5, Note 3, Sony Xperia Z3, Google Nexus 7 II, Google Nexus 9, Mi 3, Nubia Z7 mini

**Note:** Additional devices may be compatible but have not yet been tested

General	
Operating Temperature	32 to 104°F / 0 to 40°C
Dimensions	Diagonal (Including Propellers): 23.2" / 590 mm
Weight	Including Battery and Propellers: 2.8 lb / 1.3 kg
Packaging Info	
Package Weight	10.0 lb