


Panasonic AG-DVX200 4K Handheld Camcorder with Four Thirds Sensor and Integrated Zoom Lens



Rating: 3.0
Price:
Variant price modifier:

Price with discount:
Salesprice with discount:

USD 2,097.00
Discount:

 **In Stock!**
Ready to Order
[Ask a question about this product](#)
Manufacturer: [Panasonic](#)

Description

Product Highlights

- Single 4/3 MOS Sensor with 12 Stops DR
- DCI 4K 24P, UHD 4K Up to 60p
- Variable Frame Rate Up to 120 FPS in FHD
- MP4 / MOV Recording in 4K
- Integrated Leica 13x f/2.8 - f/4.5 Lens
- 3 x Individual Lens Control Rings
- 2 x SD Cards Slots (U3 Compatible)
- HDMI 2.0, 3G-SDI Output

Sensor

Effective Pixels

1 x 4/3-type MOS
4K: 1335 MP
UHD (29.97p): 1289 MP
UHD (59.94p): 871 MP
FHC: 1549 MP

Resolution

4K
DCI: 4096 x 2160
UHD: 3840 x 2160

Dynamic Range Frame Rates

HD
1920 x 1080
12 stops
DCI 4K: 24p
UHD 4K: 60p / 50p / 30p / 25p / 24p
1920 x 1080: 60p / 50p / 30p / 25p / 24p

Shutter Speed

59.94 Hz
60i/60p mode: 1/60, 1/100, 1/120, 1/180, 1/250, 1/350, 1/500 sec,
1/750 sec, 1/1000, 1/1500, 1/2000, 1/3000, 1/4000, 1/8000 sec
30p mode: 1/30, 1/50 sec, 1/60, 1/100, 1/120, 1/180, 1/250, 1/350,
1/500, 1/750, 1/1000, 1/1500, 1/2000, 1/3000, 1/4000, 1/8000 sec
24p mode: 1/24, 1/48, 1/50, 1/60, 1/100, 1/120, 1/180, 1/250, 1/350,
1/500, 1/750, 1/1000, 1/1500, 1/2000, 1/3000, 1/4000, 1/8000 sec

Slow Shutter Speed

50 Hz
50i/50p mode: 1/50, 1/60, 1/100, 1/125, 1/180, 1/250, 1/350, 1/500,
1/750, 1/1000, 1/1500, 1/2000, 1/3000, 1/4000, 1/8000 sec
25p mode: 1/25, 1/50, 1/60, 1/100, 1/125, 1/180, 1/250, 1/350, 1/500,
1/750, 1/1000, 1/1500, 1/2000, 1/3000, 1/4000, 1/8000
59.94 Hz
60i/60p mode: 1/2, 1/4, 1/8, 1/15, 1/30
30p mode: 1/2, 1/4, 1/8, 1/15 sec 24p mode: 1/2, 1/3, 1/6, 1/12 sec

Synchro Scan Shutter

50 Hz
50i/50p mode: 1/2, 1/3, 1/6, 1/12, 1/25
25p mode: 1/2, 1/3, 1/6, 1/12 sec
59.94 Hz
60i/60p mode: 1/60.0 to 1/249.8 sec
30p mode: 1/30.0 to 1/249.8 sec
24p mode: 1/24.0 to 1/249.6 sec

Shutter Opening Angle VFR Recording Frame Rate

50 Hz
50i/50p mode: 1/50.0 to 1/250.0 sec
25p mode: 1/25.0 to 1/250.0 sec
5.0 to 360° in 0.5 deg steps (displayed in shutter angle)
59.94 Hz
60p mode: 2, 15, 30, 40, 55, 58, 60, 62, 65, 75, 90, and 120 (frames per second)
30p mode: 2, 15, 26, 28, 30, 32, 34, 45, 60, 75, 90, and 120 (frames per second)
24p mode: 2, 12, 18, 20, 22, 24, 26, 28, 30, 36, 48, 60, 72, 84, 96, and 120 (frames per second)

Minimum Subject Illumination Lens

50 Hz
50p mode: 2, 12, 25, 33, 45, 48, 50, 52, 55, 62, 75, 100, and 120 (frames per second)
25p mode: 2, 12, 21, 23, 25, 27
High Sens mode: 0.2 lx (F2.8, gain 18 dB, [1/2S] manual slow shutter)

Focal Length	12.8 to 167mm
Zoom	Zoom Range 13 x optical zoom 20x iZoom (in FHD Only) 35mm Equivalent DCI 4K: 29.5 to 384.9mm UHD 4K/30: 30.6 to 397.8mm UHD 4K/60: 37.2 to 483.6 FHD: 28 to 364mm
ND Filters	1/4 1/16 1/64
Memory Card Slot	2 x SD (UHS speed class 3 compatible)
Inputs	Timecode: In / out Audio: 2 x 3-pin XLR
Outputs	1 x 3G-SDI 1 x HDMI (supports HDMI 2.0)
Filter Attachment	72 mm
General	
Dimensions	7.1 x 8.5 x 14.7" / 181 x 216 x 374 mm (excluding protrusions and eye cup)
Weight	6.0 lb / 2.7 kg (excluding lense hood, battery, and accessories)
Packaging Info	
Package Weight	12.7 lb
Box Dimensions (LxWxH)	19.1 x 14.8 x 11.2"