


Parrot BeBop 2 Drone with Skycontroller (Red)



Rating: 5.0

Price:

Variant price modifier:

Price with discount:

Salesprice with discount:

USD 349.00

Discount:



[Ask a question about this product](#)

Manufacturer: [Parrot](#)

Drone : Parrot BeBop 2 Drone with Skycontroller (Red)

Description

Product Highlights

- Capture 1080p Video / 4096 x 3072 Photos
- 3-Axis Electronic Image Stabilization
- Skycontroller Wi-Fi Extender/Controller
- 1.2 Mile Line-of-Sight Control Range
- 7-Sensor Flight Stabilization System
- 8GB of On-Board Flash Memory
- Holder for Tablets Up to 10.6"
- GPS-Enabled Autopilot Functions
- Up to 52 ft/s Top Horizontal Speed
- Up to 25 Minutes Flying Time

BeBop 2 Drone with 14 Megapixel Flight Camera (Red)

Performance

Flight Time

Maximum Speed

Flight Control System

CPU

GPU

Operating System

Storage

Sensors

Geo-location

System Requirements

Wi-Fi

Standard

Frequency

Transmit Power

Range

Antennas

Camera

Sensor

Lens

Field of View

Resolution

Image Stabilization

Encoding

Recording Media

Motors

Type

Propellers

Size

Flight Battery

Chemistry

Capacity

General

Construction

Illumination

Dimensions

Weight

Packaging Info

Box Dimensions (LxWxH)

Up to 25 minutes

Horizontal: 52.5 ft/s / 16 m/s

Ascent: 19.7 ft/s / 6 m/s

Dual-core

Quad-core

Linux

8 GB internal flash memory

Vertical camera (optical flow)

Ultrasound

Barometer

Accelerometer

Magnetometer

Gyroscope

GPS

iOS or Android mobile device supporting the FreeFlight 3

802.11a/g/n/ac

2.4 / 5 GHz

Up to 21 dBm

Up to 984.3' / 300 m line-of-sight

Dual-band MIMO with two 2.4/5 GHz dipole antennas

1/2.3" CMOS

6 elements

180°

Note: The effective field of view for video is less than 180° to accommodate the electronic image stabilization system.

Photo: 14 MP (4096 x 3072)

Video: 1080p30

3-axis electronic image stabilization

Video: H.265

Photo: JPEG, DNG RAW

8 GB built-in flash memory

4 x Brushless outrunner motors

6" / 15.2 cm

Lithium polymer (LiPo)

2700 mAh

Glass fiber reinforced (20%) PA12 and Grilamid structure

LED running lights

12.9 x 12.9 x 3.5" / 328 x 328 x 89 mm

1.1 lb / 500 g

10.5 x 7.5 x 4.1"

